

# Maggie

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946



## Maggie’s Profile

### Pet information

|                 |               |
|-----------------|---------------|
| Registered name | Date of birth |
| Maggie          | 2022-02-14    |
| Sex             | Spayed        |
| F               | No            |

### Top breeds

- 46% Poodle (Toy and Miniature)
- 38% Golden Retriever
- 16% Poodle (Medium and Standard)

### Predicted ideal adult weight

29-51 lbs

### Health summary

- At Risk 0 conditions
- Carrier 0 conditions
- Clear 267 conditions

# Maggie

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946




## Breed ancestry


We detected 3 breeds in Maggie's DNA.



### Sporting



### Companion




Maggie

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

**Veterinarian:** Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946

# Family Tree



# Maggie

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946



## Maggie's predicted ideal adult weight

Based on our findings, we've calculated that Maggie's ideal adult weight should be 29-51 lbs.

Ideal Weight  
**29-51 lbs**

Size  
**Medium**

We've factored everything we know about Maggie in predicting a healthy, adult weight. However environmental factors such as the nutrition of Maggie's mom during pregnancy and nursing, Maggie's nutrition during critical growth months, illness/parasites/ticks/fleas, and exercise levels can affect the actual weight of Maggie.

### Calculating weight

Our weight-predictive algorithm uses a combination of the following to calculate Maggie's ideal, adult weight: The published weight ranges of more than 200 purebred dogs. The observed weights of purebred dogs, each with an ideal Body ConditionScore, from the Banfield® Pet Hospital database. Breeds the WISDOM PANEL™ test analysis has identified that reflect a dog's true heritage and genetic complexity. A genetic algorithm based on mixed-breed data that calculates the contribution of each set of chromosomal genetic markers.

### Environmental effects on weight

A dog's early life is very important in determining how they will grow and develop. They can fail to reach their ideal weight for a number of reasons, including the diet of their mother during pregnancy and nursing (as well as their own diet as puppies). Illness and disease can play a part too, as can having parasites like roundworms or fleas and ticks. For dogs who are adopted after they are fully-grown, it may be harder to find the historical background on these factors. Maintaining a healthy weight is a key factor in Maggie having a long and healthy life.

Genetic Diversity

Heterozygosity

Maggie’s Percentage of Heterozygosity

44%

Maggie’s genome analysis shows an average level of genetic heterozygosity when compared with other mixed-breed dogs.

Typical Range for Mixed-Breed Dogs

33% - 46%

# Maggie

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08


Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946



## Summary of health conditions

### Key Findings

We detected 0 genetic conditions in Maggie’s DNA.



Health conditions tested

| Genetic Condition                                                            | Gene         | Risk Variant | Copies | Inheritance | Result |
|------------------------------------------------------------------------------|--------------|--------------|--------|-------------|--------|
| 2,8-dihydroxyadenine (DHA) Urolithiasis                                      | APRT         | G>A          | 0      | AR          | Clear  |
| Acral Mutilation Syndrome                                                    | GDNF         | C>T          | 0      | AR          | Clear  |
| Acute Respiratory Distress Syndrome                                          | ANLN         | C>T          | 0      | AR          | Clear  |
| Alaskan Husky Encephalopathy                                                 | SLC19A3      | G>A          | 0      | AR          | Clear  |
| Alexander Disease                                                            | GFAP         | G>A          | 0      | AR          | Clear  |
| Amelogenesis Imperfecta (Discovered in the Italian Greyhound)                | ENAM         | Deletion     | 0      | AR          | Clear  |
| Amelogenesis Imperfecta (Discovered in the Lancashire Heeler)                | Confidential | -            | 0      | AR          | Clear  |
| Amelogenesis Imperfecta (Discovered in the Parson Russell Terrier)           | ENAM         | C>T          | 0      | AR          | Clear  |
| Bandera's Neonatal Ataxia                                                    | GRM1         | Insertion    | 0      | AR          | Clear  |
| Benign Familial Juvenile Epilepsy                                            | LGI2         | A>T          | 0      | AR          | Clear  |
| Bernard-Soulier Syndrome (Discovered in the Cocker Spaniel)                  | GP9          | Deletion     | 0      | AR          | Clear  |
| Canine Congenital Stationary Night Blindness (Discovered in the Beagle)      | LRIT3        | Deletion     | 0      | AR          | Clear  |
| Canine Leukocyte Adhesion Deficiency (CLAD), type III                        | FERMT3       | Insertion    | 0      | AR          | Clear  |
| Canine Multifocal Retinopathy 1                                              | BEST1        | C>T          | 0      | AR          | Clear  |
| Canine Multifocal Retinopathy 2                                              | BEST1        | G>A          | 0      | AR          | Clear  |
| Canine Multifocal Retinopathy 3                                              | BEST1        | Deletion     | 0      | AR          | Clear  |
| Canine Multiple Systems Degeneration (Discovered in the Chinese Crested Dog) | SERAC1       | Deletion     | 0      | AR          | Clear  |
| Canine Scott Syndrome                                                        | ANO6         | G>A          | 0      | AR          | Clear  |
| Cardiomyopathy and Juvenile Mortality (Discovered in the Belgian Shepherd)   | YARS2        | G>A          | 0      | AR          | Clear  |
| Centronuclear Myopathy (Discovered in the Great Dane)                        | BIN1         | A>G          | 0      | AR          | Clear  |

Health conditions tested

| Genetic Condition                                                                    | Gene              | Risk Variant | Copies | Inheritance | Result |
|--------------------------------------------------------------------------------------|-------------------|--------------|--------|-------------|--------|
| Centronuclear Myopathy (Discovered in the Labrador Retriever)                        | PTPLA             | Insertion    | 0      | AR          | Clear  |
| Cerebellar Ataxia                                                                    | RAB24             | A>C          | 0      | AR          | Clear  |
| Cerebellar Cortical Degeneration                                                     | SNX14             | C>T          | 0      | AR          | Clear  |
| Cerebellar Hypoplasia                                                                | VLDLR             | Deletion     | 0      | AR          | Clear  |
| Cerebral Dysfunction                                                                 | SLC6A3            | G>A          | 0      | AR          | Clear  |
| Chondrodysplasia (Discovered in Norwegian Elkhound and Karelian Bear Dog)            | ITGA10            | C>T          | 0      | AR          | Clear  |
| Chondrodystrophy (CDDY) and Intervertebral Disc Disease (IVDD) Risk                  | FGF4<br>retrogene | Insertion    | 0      | AD          | Clear  |
| Cleft Lip & Palate with Syndactyly                                                   | ADAMTS20          | Deletion     | 0      | AR          | Clear  |
| Cleft Palate                                                                         | DLX6              | C>A          | 0      | AR          | Clear  |
| CNS Atrophy with Cerebellar Ataxia (Discovered in the Belgian Shepherd)              | SEPP1             | Deletion     | 0      | AR          | Clear  |
| Coat Color Dilution and Neurological Defects (Discovered in the Miniature Dachshund) | MYO5A             | Insertion    | 0      | AR          | Clear  |
| Complement 3 Deficiency                                                              | C3                | Deletion     | 0      | AR          | Clear  |
| Cone Degeneration (Discovered in the Alaskan Malamute)                               | CNGB3             | Deletion     | 0      | AR          | Clear  |
| Cone Degeneration (Discovered in the German Shepherd Dog)                            | CNGA3             | C>T          | 0      | AR          | Clear  |
| Cone Degeneration (Discovered in the German Shorthaired Pointer)                     | CNGB3             | G>A          | 0      | AR          | Clear  |
| Cone-Rod Dystrophy                                                                   | NPHP4             | Deletion     | 0      | AR          | Clear  |
| Cone-Rod Dystrophy 1                                                                 | PDE6B             | Deletion     | 0      | AR          | Clear  |
| Cone-Rod Dystrophy 2                                                                 | IQCB1             | Insertion    | 0      | AR          | Clear  |
| Congenital Cornification (Discovered in the Labrador Retriever)                      | NSDHL             | Deletion     | 0      | XD          | Clear  |

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946

## Health conditions tested

| Genetic Condition                                                                  | Gene    | Risk Variant | Copies | Inheritance | Result |
|------------------------------------------------------------------------------------|---------|--------------|--------|-------------|--------|
| Congenital Dyshormonogenic Hypothyroidism with Goiter (Discovered in the Shih Tzu) | SLC5A5  | G>A          | 0      | AR          | Clear  |
| Congenital Eye Malformations (Discovered in the Golden Retriever)                  | SIX6    | C>T          | 0      | AD          | Clear  |
| Congenital Hypothyroidism (Discovered in the Tenterfield Terrier)                  | TPO     | C>T          | 0      | AR          | Clear  |
| Congenital Hypothyroidism (Discovered in the Toy Fox and Rat Terrier)              | TPO     | C>T          | 0      | AR          | Clear  |
| Congenital Muscular Dystrophy (Discovered in the Italian Greyhound)                | LAMA2   | G>A          | 0      | AR          | Clear  |
| Congenital Muscular Dystrophy (Discovered in the Staffordshire Bull Terrier)       | LAMA2   | Deletion     | 0      | AR          | Clear  |
| Congenital Myasthenic Syndrome (Discovered in the Golden Retriever)                | COLQ    | G>A          | 0      | AR          | Clear  |
| Congenital Myasthenic Syndrome (Discovered in the Heideterrier)                    | CHRNE   | Insertion    | 0      | AR          | Clear  |
| Congenital Myasthenic Syndrome (Discovered in the Jack Russell Terrier)            | CHRNE   | Insertion    | 0      | AR          | Clear  |
| Congenital Myasthenic Syndrome (Discovered in the Labrador Retriever)              | COLQ    | T>C          | 0      | AR          | Clear  |
| Congenital Myasthenic Syndrome (Discovered in the Old Danish Pointer)              | CHAT    | G>A          | 0      | AR          | Clear  |
| Congenital Stationary Night Blindness (CSNB)                                       | RPE65   | A>T          | 0      | AR          | Clear  |
| Craniomandibular Osteopathy (Discovered in Scottish Terrier breeds)                | SLC37A2 | C>T          | 0      | AD          | Clear  |
| Craniomandibular Osteopathy (Discovered in the Australian Terrier)                 | COL1A1  | C>T          | 0      | AD          | Clear  |
| Craniomandibular Osteopathy (Discovered in the Basset Hound)                       | SLC37A2 | C>T          | 0      | AD          | Clear  |
| Craniomandibular Osteopathy (Discovered in the Weimaraner)                         | SLC35D1 | Deletion     | 0      | AD          | Clear  |
| Cystic Renal Dysplasia and Hepatic Fibrosis                                        | INPP5E  | G>A          | 0      | AR          | Clear  |

Health conditions tested

| Genetic Condition                                                               | Gene   | Risk Variant | Copies | Inheritance | Result |
|---------------------------------------------------------------------------------|--------|--------------|--------|-------------|--------|
| Cystinuria Type I-A                                                             | SLC3A1 | C>T          | 0      | AR          | Clear  |
| Cystinuria Type II-A                                                            | SLC3A1 | Deletion     | 0      | AD          | Clear  |
| Darier Disease (Discovered in the Irish Terrier)                                | ATP2A2 | Insertion    | 0      | AD          | Clear  |
| Deafness and Vestibular Dysfunction (DINGS1), (Discovered in Doberman Pinscher) | PTPRQ  | Insertion    | 0      | AR          | Clear  |
| Deafness and Vestibular Dysfunction (DINGS2), (Discovered in Doberman Pinscher) | MYO7A  | G>A          | 0      | AR          | Clear  |
| Degenerative Myelopathy                                                         | SOD1   | G>A          | 0      | AR          | Clear  |
| Demyelinating Neuropathy                                                        | SBF2   | G>T          | 0      | AR          | Clear  |
| Dental Hypomineralization                                                       | FAM20C | C>T          | 0      | AR          | Clear  |
| Dental-Skeletal-Retinal Anomaly (Discovered in the Cane Corso)                  | MIA3   | Deletion     | 0      | AR          | Clear  |
| Dilated Cardiomyopathy (Discovered in the Schnauzer)                            | RBM20  | Deletion     | 0      | AR          | Clear  |
| Disproportionate Dwarfism (Discovered in the Dogo Argentino)                    | PRKG2  | C>A          | 0      | AR          | Clear  |
| Dominant Progressive Retinal Atrophy                                            | RHO    | C>G          | 0      | AD          | Clear  |
| Dystrophic Epidermolysis Bullosa (Discovered in the Basset Hound)               | COL7A1 | Insertion    | 0      | AR          | Clear  |
| Dystrophic Epidermolysis Bullosa (Discovered in the Central Asian Ovcharka)     | COL7A1 | C>T          | 0      | AR          | Clear  |
| Dystrophic Epidermolysis Bullosa (Discovered in the Golden Retriever)           | COL7A1 | C>T          | 0      | AR          | Clear  |
| Early Retinal Degeneration (Discovered in the Norwegian Elkhound)               | STK38L | Insertion    | 0      | AR          | Clear  |
| Early-Onset Adult Deafness (Discovered in the Rhodesian Ridgeback)              | EPS8L2 | Deletion     | 0      | AR          | Clear  |
| Early-Onset Progressive Polyneuropathy (Discovered in the Alaskan Malamute)     | NDRG1  | G>T          | 0      | AR          | Clear  |

Health conditions tested

| Genetic Condition                                                                | Gene   | Risk Variant | Copies | Inheritance | Result |
|----------------------------------------------------------------------------------|--------|--------------|--------|-------------|--------|
| Early-Onset Progressive Polyneuropathy (Discovered in the Greyhound)             | NDRG1  | Deletion     | 0      | AR          | Clear  |
| Early-Onset Progressive Retinal Atrophy (Discovered in the Portuguese Water Dog) | CCDC66 | Insertion    | 0      | AR          | Clear  |
| Early-Onset Progressive Retinal Atrophy, (Discovered in the Spanish Water Dog)   | PDE6B  | Deletion     | 0      | AR          | Clear  |
| Ehlers-Danlos Syndrome (Discovered in mixed breed)                               | COL5A1 | G>A          | 0      | AD          | Clear  |
| Ehlers-Danlos Syndrome (Discovered in the Labrador Retriever)                    | COL5A1 | Deletion     | 0      | AD          | Clear  |
| Epidermolytic Hyperkeratosis                                                     | KRT10  | G>T          | 0      | AR          | Clear  |
| Episodic Falling Syndrome                                                        | BCAN   | Insertion    | 0      | AR          | Clear  |
| Exercise-Induced Collapse                                                        | DNM1   | G>T          | 0      | AR          | Clear  |
| Factor VII Deficiency                                                            | F7     | G>A          | 0      | AR          | Clear  |
| Factor XI Deficiency                                                             | FXI    | Insertion    | 0      | AD          | Clear  |
| Familial Nephropathy (Discovered in the English Cocker Spaniel)                  | COL4A4 | A>T          | 0      | AR          | Clear  |
| Familial Nephropathy (Discovered in the English Springer Spaniel)                | COL4A4 | C>T          | 0      | AR          | Clear  |
| Fanconi Syndrome                                                                 | FAN1   | Deletion     | 0      | AR          | Clear  |
| Fetal Onset Neuroaxonal Dystrophy                                                | MFN2   | G>C          | 0      | AR          | Clear  |
| Focal Non-Epidermolytic Palmoplantar Keratoderma                                 | KRT16  | G>C          | 0      | AR          | Clear  |
| Generalized Progressive Retinal Atrophy (Discovered in the Schapendoes)          | CCDC66 | Insertion    | 0      | AR          | Clear  |
| Glanzmann Thrombasthenia Type I (Discovered in Great Pyrenees)                   | ITGA2B | C>G          | 0      | AR          | Clear  |
| Glanzmann Thrombasthenia Type I (Discovered in mixed breed dogs)                 | ITGA2B | C>T          | 0      | AR          | Clear  |
| Globoid Cell Leukodystrophy (Discovered in Terriers)                             | GALC   | A>C          | 0      | AR          | Clear  |

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946

## Health conditions tested

| Genetic Condition                                                    | Gene         | Risk Variant | Copies | Inheritance | Result |
|----------------------------------------------------------------------|--------------|--------------|--------|-------------|--------|
| Globoid Cell Leukodystrophy (Discovered in the Irish Setter)         | GALC         | A>T          | 0      | AR          | Clear  |
| Glycogen Storage Disease Type Ia (Discovered in the German Pinscher) | G6PC         | Insertion    | 0      | AR          | Clear  |
| Glycogen Storage Disease Type Ia (Discovered in the Maltese)         | G6PC         | G>C          | 0      | AR          | Clear  |
| Glycogen Storage Disease Type IIIa, (GSD IIIa)                       | AGL          | Deletion     | 0      | AR          | Clear  |
| GM1 Gangliosidosis (Discovered in the Portuguese Water Dog)          | GLB1         | G>A          | 0      | AR          | Clear  |
| GM1 Gangliosidosis (Discovered in the Shiba)                         | GLB1         | Deletion     | 0      | AR          | Clear  |
| GM2 Gangliosidosis (Discovered in the Japanese Chin)                 | HEXA         | G>A          | 0      | AR          | Clear  |
| GM2 Gangliosidosis (Discovered in the Toy Poodle)                    | HEXB         | Deletion     | 0      | AR          | Clear  |
| Hemophilia A (Discovered in Old English Sheepdog)                    | FVIII        | C>T          | 0      | XR          | Clear  |
| Hemophilia A (Discovered in the Boxer)                               | FVIII        | C>G          | 0      | XR          | Clear  |
| Hemophilia A (Discovered in the German Shepherd Dog - Variant 1)     | FVIII        | G>A          | 0      | XR          | Clear  |
| Hemophilia A (Discovered in the German Shepherd Dog - Variant 2)     | FVIII        | G>A          | 0      | XR          | Clear  |
| Hemophilia A (Discovered in the Havanese)                            | FVIII        | Insertion    | 0      | XR          | Clear  |
| Hemophilia A (Discovered in the Labrador Retriever)                  | Confidential | -            | 0      | XR          | Clear  |
| Hemophilia B                                                         | FIX          | G>A          | 0      | XR          | Clear  |
| Hemophilia B (Discovered in the Airedale Terrier)                    | FIX          | Insertion    | 0      | XR          | Clear  |
| Hemophilia B (Discovered in the Lhasa Apso)                          | FIX          | Deletion     | 0      | XR          | Clear  |
| Hereditary Ataxia (Discovered in the Belgian Malinois)               | SLC12A6      | Insertion    | 0      | AR          | Clear  |
| Hereditary Ataxia (Discovered in the Norwegian Buhund)               | KCNIP4       | T>C          | 0      | AR          | Clear  |
| Hereditary Calcium Oxalate Urolithiasis, Type 1                      | Confidential | -            | 0      | AR          | Clear  |

Health conditions tested

| Genetic Condition                                                              | Gene         | Risk Variant | Copies | Inheritance | Result |
|--------------------------------------------------------------------------------|--------------|--------------|--------|-------------|--------|
| Hereditary Elliptocytosis                                                      | SPTB         | C>T          | 0      | AD          | Clear  |
| Hereditary Footpad Hyperkeratosis                                              | FAM83G       | G>C          | 0      | AR          | Clear  |
| Hereditary Nasal Parakeratosis (Discovered in the Greyhound)                   | SUV39H2      | Deletion     | 0      | AR          | Clear  |
| Hereditary Nasal Parakeratosis (Discovered in the Labrador Retriever)          | SUV39H2      | A>C          | 0      | AR          | Clear  |
| Hereditary Vitamin D-Resistant Rickets Type II                                 | VDR          | Deletion     | 0      | AR          | Clear  |
| Hyperuricosuria                                                                | SLC2A9       | G>T          | 0      | AR          | Clear  |
| Hypocatalasia                                                                  | CAT          | G>A          | 0      | AR          | Clear  |
| Hypomyelination                                                                | FNIP2        | Deletion     | 0      | AR          | Clear  |
| Hypophosphatasia                                                               | Confidential | -            | 0      | AR          | Clear  |
| Ichthyosis (Discovered in the American Bulldog)                                | NIPAL4       | Deletion     | 0      | AR          | Clear  |
| Ichthyosis (Discovered in the Great Dane)                                      | SLC27A4      | G>A          | 0      | AR          | Clear  |
| Ichthyosis Type 2 (Discovered in the Golden Retriever)                         | ABHD5        | Deletion     | 0      | AR          | Clear  |
| Inflammatory Myopathy (Discovered in the Dutch Shepherd Dog)                   | SLC25A12     | A>G          | 0      | AR          | Clear  |
| Inflammatory Pulmonary Disease (Discovered in the Rough Collie)                | AKNA         | Deletion     | 0      | AR          | Clear  |
| Intestinal Cobalamin Malabsorption (Discovered in the Beagle)                  | CUBN         | Deletion     | 0      | AR          | Clear  |
| Intestinal Cobalamin Malabsorption (Discovered in the Border Collie)           | CUBN         | Deletion     | 0      | AR          | Clear  |
| Intestinal Cobalamin Malabsorption (Discovered in the Komondor)                | CUBN         | G>A          | 0      | AR          | Clear  |
| Intestinal Lipid Malabsorption (Discovered in the Australian Kelpie)           | ACSL5        | Deletion     | 0      | AR          | Clear  |
| Junctional Epidermolysis Bullosa (Discovered in the Australian Cattle Dog Mix) | LAMA3        | T>A          | 0      | AR          | Clear  |

Health conditions tested

| Genetic Condition                                                                    | Gene         | Risk Variant | Copies | Inheritance | Result |
|--------------------------------------------------------------------------------------|--------------|--------------|--------|-------------|--------|
| Junctional Epidermolysis Bullosa (Discovered in the Australian Shepherd)             | LAMB3        | A>G          | 0      | AR          | Clear  |
| Juvenile Cataract (Discovered in the Wirehaired Pointing Griffon)                    | FYCO1        | Deletion     | 0      | AR          | Clear  |
| Juvenile Dilated Cardiomyopathy (Discovered in the Toy Manchester Terrier)           | ABCC9        | G>A          | 0      | AR          | Clear  |
| Juvenile Encephalopathy (Discovered in the Parson Russell Terrier)                   | Confidential | -            | 0      | AR          | Clear  |
| Juvenile Laryngeal Paralysis and Polyneuropathy                                      | RAB3GAP1     | Deletion     | 0      | AR          | Clear  |
| Juvenile Myoclonic Epilepsy                                                          | DIRAS1       | Deletion     | 0      | AR          | Clear  |
| L-2-Hydroxyglutaric aciduria (Discovered in the Staffordshire Bull Terrier)          | L2HGDH       | T>C          | 0      | AR          | Clear  |
| L-2-Hydroxyglutaric Aciduria (Discovered in the West Highland White Terrier)         | Confidential | -            | 0      | AR          | Clear  |
| Lagotto Storage Disease                                                              | ATG4D        | G>A          | 0      | AR          | Clear  |
| Lamellar Ichthyosis                                                                  | TGM1         | Insertion    | 0      | AR          | Clear  |
| Laryngeal Paralysis (Discovered in the Bull Terrier and Miniature Bull Terrier)      | RAPGEF6      | Insertion    | 0      | AR          | Clear  |
| Leigh-like Subacute Necrotizing Encephalopathy (Discovered in the Yorkshire Terrier) | SLC19A3      | Insertion    | 0      | AR          | Clear  |
| Lethal Acrodermatitis (Discovered in the Bull Terrier)                               | MKLN1        | A>C          | 0      | AR          | Clear  |
| Leukodystrophy (Discovered in the Standard Schnauzer)                                | TSEN54       | C>T          | 0      | AR          | Clear  |
| Ligneous Membranitis                                                                 | PLG          | T>A          | 0      | AR          | Clear  |
| Limb-girdle Muscular Dystrophy (Discovered in the Boston Terrier)                    | SGCD         | Deletion     | 0      | AR          | Clear  |
| Limb-girdle Muscular Dystrophy, Type L3 (Discovered in the Miniature Dachshund)      | SGCA         | G>A          | 0      | AR          | Clear  |
| Lung Developmental Disease (Discovered in the Airedale Terrier)                      | LAMP3        | C>T          | 0      | AR          | Clear  |

Health conditions tested

| Genetic Condition                                                            | Gene       | Risk Variant | Copies | Inheritance | Result |
|------------------------------------------------------------------------------|------------|--------------|--------|-------------|--------|
| Macrothrombocytopenia (Discovered in Norfolk and Cairn Terrier)              | TUBB1      | G>A          | 0      | AR          | Clear  |
| May-Hegglin Anomaly                                                          | MYH9       | G>A          | 0      | AD          | Clear  |
| MDR1 Medication Sensitivity                                                  | MDR1/ABCB1 | Deletion     | 0      | AD          | Clear  |
| Microphthalmia (Discovered in the Soft-Coated Wheaten Terrier)               | RBP4       | Deletion     | 0      | AR          | Clear  |
| Mucopolysaccharidosis Type IIIA (Discovered in the Dachshund)                | SGSH       | C>A          | 0      | AR          | Clear  |
| Mucopolysaccharidosis Type IIIA (Discovered in the New Zealand Huntaway)     | SGSH       | Insertion    | 0      | AR          | Clear  |
| Mucopolysaccharidosis Type VII (Discovered in the Brazilian Terrier)         | GUSB       | C>T          | 0      | AR          | Clear  |
| Mucopolysaccharidosis Type VII (Discovered in the German Shepherd Dog)       | GUSB       | G>A          | 0      | AR          | Clear  |
| Mucopolysaccharidosis VI (Discovered in the Miniature Pinscher)              | ARSB       | G>A          | 0      | AR          | Clear  |
| Muscular Dystrophy (Discovered in the Cavalier King Charles Spaniel)         | Dystrophin | G>T          | 0      | XR          | Clear  |
| Muscular Dystrophy (Discovered in the Golden Retriever)                      | Dystrophin | A>G          | 0      | XR          | Clear  |
| Muscular Dystrophy (Discovered in the Landseer)                              | COL6A1     | G>T          | 0      | AR          | Clear  |
| Muscular Dystrophy (Discovered in the Norfolk Terrier)                       | Dystrophin | Deletion     | 0      | XR          | Clear  |
| Muscular Dystrophy-Dystroglycanopathy (Discovered in the Labrador Retriever) | LARGE      | C>T          | 0      | AR          | Clear  |
| Muscular Hypertrophy (Double Muscling)                                       | MSTN       | T>A          | 0      | AR          | Clear  |
| Musladin-Lueke Syndrome                                                      | ADAMTSL2   | C>T          | 0      | AR          | Clear  |
| Myeloperoxidase Deficiency                                                   | MOP        | C>T          | 0      | AR          | Clear  |
| Myotonia Congenita (Discovered in Australian Cattle Dog)                     | CLCN1      | Insertion    | 0      | AR          | Clear  |

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946

## Health conditions tested

| Genetic Condition                                                           | Gene    | Risk Variant | Copies | Inheritance | Result |
|-----------------------------------------------------------------------------|---------|--------------|--------|-------------|--------|
| Myotonia Congenita (Discovered in the Labrador Retriever)                   | CLCN1   | T>A          | 0      | AR          | Clear  |
| Myotonia Congenita (Discovered in the Miniature Schnauzer)                  | CLCN1   | C>T          | 0      | AR          | Clear  |
| Myotubular Myopathy                                                         | MTM1    | A>C          | 0      | XR          | Clear  |
| Narcolepsy (Discovered in the Dachshund)                                    | HCRT2   | G>A          | 0      | AR          | Clear  |
| Narcolepsy (Discovered in the Labrador Retriever)                           | HCRT2   | G>A          | 0      | AR          | Clear  |
| Nemaline Myopathy                                                           | NEB     | C>A          | 0      | AR          | Clear  |
| Neonatal Cerebellar Cortical Degeneration                                   | SPTBN2  | Deletion     | 0      | AR          | Clear  |
| Neonatal Encephalopathy with Seizures                                       | ATF2    | T>G          | 0      | AR          | Clear  |
| Neuroaxonal Dystrophy (Discovered in Spanish Water Dog)                     | TECPR2  | C>T          | 0      | AR          | Clear  |
| Neuroaxonal Dystrophy (Discovered in the Papillon)                          | PLA2G6  | G>A          | 0      | AR          | Clear  |
| Neuroaxonal Dystrophy (Discovered in the Rottweiler)                        | VPS11   | A>G          | 0      | AR          | Clear  |
| Neuronal Ceroid Lipofuscinosis 1                                            | PPT1    | Insertion    | 0      | AR          | Clear  |
| Neuronal Ceroid Lipofuscinosis 12 (Discovered in the Australian Cattle Dog) | ATP13A2 | C>T          | 0      | AR          | Clear  |
| Neuronal Ceroid Lipofuscinosis 5 (Discovered in the Border Collie)          | CLN5    | C>T          | 0      | AR          | Clear  |
| Neuronal Ceroid Lipofuscinosis 5 (Discovered in the Golden Retriever)       | CLN5    | Deletion     | 0      | AR          | Clear  |
| Neuronal Ceroid Lipofuscinosis 7                                            | MFSD8   | Deletion     | 0      | AR          | Clear  |
| Neuronal Ceroid Lipofuscinosis 8 (Discovered in the Alpine Dachsbracke)     | CLN8    | Deletion     | 0      | AR          | Clear  |
| Neuronal Ceroid Lipofuscinosis 8 (Discovered in the Australian Shepherd)    | CLN8    | G>A          | 0      | AR          | Clear  |
| Neuronal Ceroid Lipofuscinosis 8 (Discovered in the English Setter)         | CLN8    | T>C          | 0      | AR          | Clear  |

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946

## Health conditions tested

| Genetic Condition                                                              | Gene     | Risk Variant | Copies | Inheritance | Result |
|--------------------------------------------------------------------------------|----------|--------------|--------|-------------|--------|
| Neuronal Ceroid Lipofuscinosis 8 (Discovered in the Saluki)                    | CLN8     | Insertion    | 0      | AR          | Clear  |
| Obesity risk (POMC)                                                            | POMC     | Deletion     | 0      | AD          | Clear  |
| Osteochondrodysplasia                                                          | SLC13A1  | Deletion     | 0      | AR          | Clear  |
| Osteochondromatosis (Discovered in the American Staffordshire Terrier)         | EXT2     | C>A          | 0      | AR          | Clear  |
| Osteogenesis Imperfecta (Discovered in the Beagle)                             | COL1A2   | C>T          | 0      | AD          | Clear  |
| Osteogenesis Imperfecta (Discovered in the Dachshund)                          | SERPINH1 | T>C          | 0      | AR          | Clear  |
| P2RY12-associated Bleeding Disorder                                            | P2RY12   | Deletion     | 0      | AR          | Clear  |
| Palmoplantar Hyperkeratosis (Discovered in the Rottweiler)                     | DSG1     | Deletion     | 0      | AR          | Clear  |
| Paroxysmal Dyskinesia                                                          | PIGN     | C>T          | 0      | AR          | Clear  |
| Persistent Müllerian Duct Syndrome                                             | AMHR2    | C>T          | 0      | AR          | Clear  |
| Phosphofructokinase Deficiency                                                 | PFKM     | G>A          | 0      | AR          | Clear  |
| Pituitary Dwarfism (Discovered in the Karelian Bear Dog)                       | POU1F1   | C>A          | 0      | AR          | Clear  |
| Polycystic Kidney Disease                                                      | PKD1     | G>A          | 0      | AD          | Clear  |
| Prekallikrein Deficiency                                                       | KLKB1    | T>A          | 0      | AR          | Clear  |
| Primary Ciliary Dyskinesia                                                     | CCDC39   | C>T          | 0      | AR          | Clear  |
| Primary Ciliary Dyskinesia (Discovered in the Alaskan Malamute)                | NME5     | Deletion     | 0      | AR          | Clear  |
| Primary Lens Luxation                                                          | ADAMTS17 | G>A          | 0      | AR          | Clear  |
| Primary Open Angle Glaucoma (Discovered in Basset Fauve de Bretagne)           | ADAMTS17 | G>A          | 0      | AR          | Clear  |
| Primary Open Angle Glaucoma (Discovered in Petit Basset Griffon Vendeen)       | ADAMTS17 | Insertion    | 0      | AR          | Clear  |
| Primary Open Angle Glaucoma and Lens Luxation (Discovered in Chinese Shar-Pei) | ADAMTS17 | Deletion     | 0      | AR          | Clear  |

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946

## Health conditions tested

| Genetic Condition                                                                   | Gene         | Risk Variant | Copies | Inheritance | Result |
|-------------------------------------------------------------------------------------|--------------|--------------|--------|-------------|--------|
| Progressive Early-Onset Cerebellar Ataxia                                           | SEL1L        | T>C          | 0      | AR          | Clear  |
| Progressive Retinal Atrophy (Discovered in the Basenji)                             | SAG          | T>C          | 0      | AR          | Clear  |
| Progressive Retinal Atrophy (Discovered in the Golden Retriever - GR-PRA 2 variant) | TTC8         | Deletion     | 0      | AR          | Clear  |
| Progressive Retinal Atrophy (Discovered in the Golden Retriever - GR-PRA1 variant)  | SLC4A3       | Insertion    | 0      | AR          | Clear  |
| Progressive Retinal Atrophy (Discovered in the Lapponian Herder)                    | IFT122       | C>T          | 0      | AR          | Clear  |
| Progressive Retinal Atrophy (Discovered in the Lhasa Apso)                          | IMPG2        | Insertion    | 0      | AR          | Clear  |
| Progressive Retinal Atrophy (Discovered in the Papillon and Phalène)                | CNGB1        | Deletion     | 0      | AR          | Clear  |
| Progressive Retinal Atrophy (Discovered in the Shetland Sheepdog - BBS2 variant)    | Confidential | -            | 0      | AR          | Clear  |
| Progressive Retinal Atrophy (Discovered in the Shetland Sheepdog - CNGA1 variant)   | CNGA1        | Deletion     | 0      | AR          | Clear  |
| Progressive Retinal Atrophy (Discovered in the Swedish Vallhund)                    | MERTK        | Insertion    | 0      | AR          | Clear  |
| Progressive Retinal Atrophy 1 (Discovered in the Italian Greyhound)                 | Confidential | -            | 0      | AR          | Clear  |
| Progressive Retinal Atrophy Type III                                                | FAM161A      | Insertion    | 0      | AR          | Clear  |
| Protein Losing Nephropathy                                                          | NPHS1        | G>A          | 0      | AR          | Clear  |
| Pyruvate Dehydrogenase Phosphatase 1 Deficiency                                     | PDP1         | C>T          | 0      | AR          | Clear  |
| Pyruvate Kinase Deficiency (Discovered in the Basenji)                              | PKLR         | Deletion     | 0      | AR          | Clear  |
| Pyruvate Kinase Deficiency (Discovered in the Beagle)                               | PKLR         | G>A          | 0      | AR          | Clear  |
| Pyruvate Kinase Deficiency (Discovered in the Pug)                                  | PKLR         | T>C          | 0      | AR          | Clear  |
| Pyruvate Kinase Deficiency (Discovered in the West Highland White Terrier)          | PKLR         | Insertion    | 0      | AR          | Clear  |
| QT Syndrome                                                                         | KCNQ1        | C>A          | 0      | AD          | Clear  |

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946

## Health conditions tested

| Genetic Condition                                                                   | Gene         | Risk Variant | Copies | Inheritance | Result |
|-------------------------------------------------------------------------------------|--------------|--------------|--------|-------------|--------|
| Renal Cystadenocarcinoma and Nodular Dermatofibrosis                                | FLCN         | A>G          | 0      | AD          | Clear  |
| Rod-Cone Dysplasia 1                                                                | PDE6B        | G>A          | 0      | AR          | Clear  |
| Rod-Cone Dysplasia 1a                                                               | PDE6B        | Insertion    | 0      | AR          | Clear  |
| Rod-Cone Dysplasia 3                                                                | PDE6A        | Deletion     | 0      | AR          | Clear  |
| Sensorineural Deafness (Discovered in the Rottweiler)                               | LOXHD1       | G>C          | 0      | AR          | Clear  |
| Sensory Ataxic Neuropathy                                                           | tRNATyr      | Deletion     | 0      | MT          | Clear  |
| Sensory Neuropathy                                                                  | FAM134B      | Insertion    | 0      | AR          | Clear  |
| Severe Combined Immunodeficiency (Discovered in Frisian Water Dogs)                 | RAG1         | G>T          | 0      | AR          | Clear  |
| Severe Combined Immunodeficiency (Discovered in Russell Terriers)                   | PRKDC        | G>T          | 0      | AR          | Clear  |
| Shaking Puppy Syndrome (Discovered in the Border Terrier)                           | Confidential | -            | 0      | AR          | Clear  |
| Skeletal Dysplasia 2                                                                | COL11A2      | G>C          | 0      | AR          | Clear  |
| Spinocerebellar Ataxia (Late-Onset Ataxia)                                          | CAPN1        | G>A          | 0      | AR          | Clear  |
| Spinocerebellar Ataxia with Myokymia and/or Seizures                                | KCNJ10       | C>G          | 0      | AR          | Clear  |
| Spondylocostal Dysostosis                                                           | HES7         | Deletion     | 0      | AR          | Clear  |
| Spongy Degeneration with Cerebellar Ataxia (Discovered in Belgian Malinois - SDCA1) | KCNJ10       | T>C          | 0      | AR          | Clear  |
| Spongy Degeneration with Cerebellar Ataxia (Discovered in Belgian Malinois - SDCA2) | ATP1B2       | Insertion    | 0      | AR          | Clear  |
| Stargardt Disease (Discovered in the Labrador Retriever)                            | ABCA4        | Insertion    | 0      | AR          | Clear  |
| Startle Disease (Discovered in Irish Wolfhounds)                                    | SLC6A5       | G>T          | 0      | AR          | Clear  |
| Startle Disease (Discovered in the Miniature American Shepherd)                     | Confidential | -            | 0      | AR          | Clear  |

## Health conditions tested

| Genetic Condition                                                                         | Gene    | Risk Variant | Copies | Inheritance | Result |
|-------------------------------------------------------------------------------------------|---------|--------------|--------|-------------|--------|
| <b>Succinic Semialdehyde Dehydrogenase Deficiency (Discovered in the Saluki)</b>          | ALDH5A1 | G>A          | 0      | AR          | Clear  |
| <b>Thrombopathia (Discovered in the Basset Hound)</b>                                     | RASGRP1 | Deletion     | 0      | AR          | Clear  |
| <b>Thrombopathia (Discovered in the Eskimo Spitz)</b>                                     | RASGRP1 | Insertion    | 0      | AR          | Clear  |
| <b>Trapped Neutrophil Syndrome</b>                                                        | VPS13B  | Deletion     | 0      | AR          | Clear  |
| <b>Van den Ende-Gupta Syndrome</b>                                                        | SCARF2  | Deletion     | 0      | AR          | Clear  |
| <b>von Willebrand's Disease, type 1</b>                                                   | VWF     | G>A          | 0      | AD          | Clear  |
| <b>von Willebrand's Disease, type 2</b>                                                   | VWF     | T>G          | 0      | AR          | Clear  |
| <b>von Willebrand's Disease, type 3 (Discovered in the Kooiker Hound)</b>                 | VWF     | G>A          | 0      | AR          | Clear  |
| <b>von Willebrand's Disease, type 3 (Discovered in the Scottish Terrier)</b>              | VWF     | Deletion     | 0      | AR          | Clear  |
| <b>von Willebrand's Disease, type 3 (Discovered in the Shetland Sheepdog)</b>             | VWF     | Deletion     | 0      | AR          | Clear  |
| <b>X-Linked Ectodermal Dysplasia</b>                                                      | EDA     | G>A          | 0      | XR          | Clear  |
| <b>X-Linked Hereditary Nephropathy (Discovered in the Navasota Dog)</b>                   | COL4A5  | Deletion     | 0      | XR          | Clear  |
| <b>X-Linked Hereditary Nephropathy (Discovered in the Samoyed)</b>                        | COL4A5  | G>T          | 0      | XR          | Clear  |
| <b>X-Linked Myotubular Myopathy</b>                                                       | MTM1    | C>A          | 0      | XR          | Clear  |
| <b>X-Linked Progressive Retinal Atrophy 1</b>                                             | RPGR    | Deletion     | 0      | XR          | Clear  |
| <b>X-Linked Progressive Retinal Atrophy 2</b>                                             | RPGR    | Deletion     | 0      | XR          | Clear  |
| <b>X-Linked Severe Combined Immunodeficiency (Discovered in the Basset Hound)</b>         | IL2RG   | Deletion     | 0      | XR          | Clear  |
| <b>X-Linked Severe Combined Immunodeficiency (Discovered in the Cardigan Welsh Corgi)</b> | IL2RG   | Insertion    | 0      | XR          | Clear  |
| <b>X-Linked Tremors</b>                                                                   | PLP1    | A>C          | 0      | XR          | Clear  |

# Maggie

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946



## Health conditions tested

| Genetic Condition                                             | Gene         | Risk Variant | Copies | Inheritance | Result |
|---------------------------------------------------------------|--------------|--------------|--------|-------------|--------|
| Xanthinuria (Discovered in a mixed breed dog)                 | Confidential | -            | 0      | AR          | Clear  |
| Xanthinuria (Discovered in the Cavalier King Charles Spaniel) | Confidential | -            | 0      | AR          | Clear  |
| Xanthinuria (Discovered in the Toy Manchester Terrier)        | Confidential | -            | 0      | AR          | Clear  |

Traits

Coat Color

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Gene   | Variant        | Copies | Result                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------------|--------|-------------------------------|
| <b>Fawn</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ASIP   | ay             | 0      | No effect                     |
| <b>Recessive Black</b><br>Two copies of the Recessive Black variant are needed for a black coat to be seen, and also an absence of other coat modifying variants such as chocolate and recessive red.                                                                                                                                                                                                                                                                                                     | ASIP   | a              | 1      | Not black due to this variant |
| <b>Tan Points</b><br>Two copies, or occasionally one copy, of this variant may result in a black and tan coat color pattern.                                                                                                                                                                                                                                                                                                                                                                              | ASIP   | at             | 2      | Tan points possible           |
| <b>Dominant Black</b><br>One or two copies of the dominant black will give a dog a black coat (depending on other variants), black eye rims, nose and pads. One copy may also give a tiger striped appearance, known as brindle patterning.                                                                                                                                                                                                                                                               | CBD103 | K <sup>B</sup> | 2      | Black possible                |
| <b>Mask</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | MC1R   | E <sup>m</sup> | 0      | No effect                     |
| <b>Recessive Red (e1)</b><br>To show a solid red coat, a dog must inherit two copies of a Recessive Red variant, one from each parent. This can either be two copies of a particular variant, such as this one (e1) or two of any combination of recessive red variants. Recessive red coats will appear white, cream, yellow or red, although there are other variants that can result in a similar appearance. The amount of red pigment in the coat, called the intensity, is governed by other genes. | MC1R   | e <sup>1</sup> | 2      | Cream to red coat likely      |
| <b>Recessive Red (e2)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MC1R   | e <sup>2</sup> | 0      | No effect                     |
| <b>Recessive Red (e3)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MC1R   | e <sup>3</sup> | 0      | No effect                     |
| <b>Sable (Discovered in the Cocker Spaniel)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                           | MC1R   | e <sup>H</sup> | 0      | No effect                     |
| <b>Widow's Peak (Discovered in Ancient dogs)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MC1R   | e <sup>A</sup> | 0      | No effect                     |
| <b>Widow's Peak (Discovered in the Afghan Hound and Saluki)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                           | MC1R   | E <sup>G</sup> | 0      | No effect                     |

Color Modification

|                                          | Gene   | Variant          | Copies | Result    |
|------------------------------------------|--------|------------------|--------|-----------|
| Cocoa (Discovered in the French Bulldog) | HPS3   | co               | 0      | No effect |
| Red Intensity                            | MFSD12 | i                | 0      | No effect |
| Dilution (d1) Linkage test               | MLPH   | d <sup>1</sup>   | 0      | No effect |
| Dilution (d2)                            | MLPH   | d <sup>2</sup>   | 0      | No effect |
| Dilution (d3)                            | MLPH   | d <sup>3</sup>   | 0      | No effect |
| Chocolate (basd)                         | TYRP1  | b <sup>asd</sup> | 0      | No effect |
| Chocolate (bc)                           | TYRP1  | b <sup>c</sup>   | 0      | No effect |
| Chocolate (bd)                           | TYRP1  | b <sup>d</sup>   | 0      | No effect |
| Chocolate (be)                           | TYRP1  | b <sup>e</sup>   | 0      | No effect |
| Chocolate (bh)                           | TYRP1  | b <sup>h</sup>   | 0      | No effect |
| Chocolate (bs)                           | TYRP1  | b <sup>s</sup>   | 0      | No effect |

Coat Patterns

|                                                                                                                                                                                                                                  | Gene  | Variant        | Copies | Result          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------|--------|-----------------|
| Piebald                                                                                                                                                                                                                          | MITF  | s <sup>p</sup> | 0      | No effect       |
| Merle                                                                                                                                                                                                                            | PMEL  | M              | 0      | No effect       |
| Harlequin                                                                                                                                                                                                                        | PSMB7 | H              | 0      | No effect       |
| Saddle Tan                                                                                                                                                                                                                       | RALY  | -              | 1      | Saddle possible |
| One or two copies of the Saddle Tan variant are needed for the "saddle" to be seen. However the Tan Points variant must also be present. The Saddle Tan variant is actually considered to be the wild type, or default, variant. |       |                |        |                 |
| Roan (Linkage test)                                                                                                                                                                                                              | USH2A | T <sub>r</sub> | 0      | No effect       |

Coat Length and Curl

|                                                                                                                                                                                                                                                                                                                                 | Gene  | Variant         | Copies | Result            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------|--------|-------------------|
| <b>Long Hair (lh1)</b><br>To show a long coat, a dog must inherit two copies of a Long Hair variant, one from each parent. This can either be two copies of a particular variant, such as this one (lh1) or two of any combination of long hair variants. However, there are other variants suspected to influence coat length. | FGF5  | lh <sup>1</sup> | 2      | Long coat         |
| <b>Long Hair (lh2)</b>                                                                                                                                                                                                                                                                                                          | FGF5  | lh <sup>2</sup> | 0      | No effect         |
| <b>Long Hair (lh3)</b>                                                                                                                                                                                                                                                                                                          | FGF5  | lh <sup>3</sup> | 0      | No effect         |
| <b>Long Hair (lh4)</b>                                                                                                                                                                                                                                                                                                          | FGF5  | lh <sup>4</sup> | 0      | No effect         |
| <b>Long Hair (lh5)</b>                                                                                                                                                                                                                                                                                                          | FGF5  | lh <sup>5</sup> | 0      | No effect         |
| <b>Curly Coat</b><br>One copy of this variant is likely to give a soft curl or wave whereas two copies are likely to give a tighter curl. A curly coat is less apparent in dogs with short hair than those with long. There is one other known Curl variant, and likely other unknown variants that exist.                      | KRT71 | C               | 2      | Curly coat likely |

Hairlessness

|                                                                             | Gene  | Variant | Copies | Result    |
|-----------------------------------------------------------------------------|-------|---------|--------|-----------|
| <b>Hairlessness (Discovered in the Chinese Crested Dog)</b><br>Linkage test | FOXI3 | Hrcc    | 0      | No effect |
| <b>Hairlessness (Discovered in the American Hairless Terrier)</b>           | SGK3  | hraht   | 0      | No effect |
| <b>Hairlessness (Discovered in the Scottish Deerhound)</b>                  | SKG3  | hrsd    | 0      | No effect |

Shedding

|                                                                                                                                                                                                                            | Gene | Variant | Copies | Result             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------|--------|--------------------|
| <b>Reduced Shedding</b><br>One or two copies of the Reduced Shedding variant is likely to reduce a dog's tendency to shed. Copies of the Furnishings variant, particularly two, also reduce the tendency of a dog to shed. | MC5R | sd      | 1      | Occasional shedder |

# Maggie

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946



## More Coat Traits

|                                                                                                                                                                                                             | Gene                               | Variant | Copies | Result             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|---------|--------|--------------------|
| <b>Hair Ridge</b>                                                                                                                                                                                           | FGF3,<br>FGF4,<br>FGF19,<br>ORAOV1 | R       | 0      | No effect          |
| <b>Furnishings</b><br><br>Dogs with one or two copies of the Furnishing variant are likely to display a fuzzy beard, moustache and eyebrows, but a long or curly coat will make this variant less apparent. | RSPO2                              | F       | 1      | Furnishings likely |
| <b>Albino</b>                                                                                                                                                                                               | SLC45A2                            | cal     | 0      | No effect          |

## Head Shape

|                                    | Gene  | Variant | Copies | Result    |
|------------------------------------|-------|---------|--------|-----------|
| <b>Short Snout (BMP3 variant)</b>  | BMP3  | -       | 0      | No effect |
| <b>Short Snout (SMOC2 variant)</b> | SMOC2 | -       | 0      | No effect |

## Eye Color

|                                                     | Gene | Variant | Copies | Result    |
|-----------------------------------------------------|------|---------|--------|-----------|
| <b>Blue Eyes (Discovered in the Siberian Husky)</b> | ALX4 | -       | 0      | No effect |

## Ears

|                                                                                                                                                                                                                                                                                                                                                                                                             | Gene  | Variant | Copies | Result                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------|--------|-------------------------|
| <b>Floppy Ears</b><br><br>Dogs with zero copies of this variant are more likely to have permanently upright or prick ears, and fully folded ears are more likely with two copies inherited. Please note however that many genetic variants influence ear carriage. Dogs with some cartilage stiffness to their ears can sometimes raise their ears upright when 'at alert' but will flop down when relaxed. | MSRB3 | -       | 2      | Floppy ears more likely |

# Maggie

Owner: Linda Bennett  
ID kit: RCMZKSNH  
Test date: 2024-11-08

Veterinarian: Chris Grover DVM  
Piedmont Veterinary Service  
PO BOX 5,  
KEENE VA 22946



## Extra Toes

|                                              | Gene  | Variant | Copies | Result    |
|----------------------------------------------|-------|---------|--------|-----------|
| Hind Dewclaws (Discovered in Asian breeds)   | LMBR1 | DC-1    | 0      | No effect |
| Hind Dewclaws (Discovered in Western breeds) | LMBR1 | DC-2    | 0      | No effect |

## More Body Features

|                                     | Gene  | Variant | Copies | Result                  |
|-------------------------------------|-------|---------|--------|-------------------------|
| Back Muscle and Bulk                | ACSL4 | -       | 0      | No effect               |
| High Altitude Adaptation            | EPAS1 | -       | 0      | No effect               |
| Short Legs (Chondrodysplasia, CDPA) | FGF4  | -       | 0      | No effect               |
| Short Legs (Chondrodystrophy, CDDY) | FGF4  | -       | 0      | No effect               |
| Short Tail                          | T-box | T       | 0      | Full tail length likely |

## Glossary of genetic terms

### Test result definitions

**At Risk:** Based on the disorder's mode of inheritance, the dog inherited a number of genetic variant(s) which increases the dog's risk of being diagnosed with the associated disorder.

**Carrier:** The dog inherited one copy of a genetic variant when two copies are usually necessary to increase the dog's risk of being diagnosed with the associated disorder. While carriers are usually not at risk of clinical expression of the disorder, carriers of some complex variants may be associated with a low risk of developing the disorder.

**Clear:** The dog did not inherit the genetic variant(s) associated with the disorder and will not be at elevated risk of being diagnosed with the disorder due to this genotype. However, similar clinical signs could develop from different genetic or clinical causes.

**Inconclusive:** An inconclusive result indicates a confident call could not be made based on the data for that genetic variant. Health testing is performed in replicates, and on occasion the outcomes do not agree. This may occur due to an unusual sequence of DNA in the region tested, multiple cell genotypes present due to chimerism or acquired mutations, or due to quality of the DNA sample.

### Inheritance mode definitions

**Autosomal Recessive (AR):** For autosomal recessive disorders, dogs with two copies of the genetic variant are at risk of developing the associated disorder. Dogs with one copy of the variant are considered carriers and are usually not at risk of developing the disorder. However, carriers of some complex variants grouped in this category may be associated with a low risk of developing the disorder. Dogs with one or two copies may pass the disorder-associated variant to their puppies if bred.

**Autosomal Dominant (AD):** For autosomal dominant disorders, dogs with one or two copies of the genetic variant are at risk of developing the associated disorder. Inheriting two copies of the variant may increase the risk of development of the disorder or cause the condition to be more severe. These dogs may pass the disorder-associated variant to their puppies if bred.

**X-linked Recessive (XR):** For X-linked recessive disorders, the genetic variant is found on the X chromosome. Female dogs must inherit two copies of the variant to be at risk of developing the condition, whereas male dogs only need one copy to be at risk. Males and females with any copies of the variant may pass the disorder-associated variant to their puppies if bred.

**X-linked Dominant (XD):** For X-linked dominant disorders, the genetic variant is found on the X chromosome. Both male and female dogs with one copy of the variant are at risk of developing the disorder. Females inheriting two copies of the variant may be at higher risk or show a more severe form of the disorder than with one copy. Males and females with any copies of the variant may pass the disorder-associated variant to their puppies if bred.

**Mitochondrial (MT):** Unlike the two copies of genomic DNA held in the nucleus, there are thousands of mitochondria in each cell of the body, and each holds its own mitochondrial DNA (mtDNA). Mitochondria are called the "powerhouses" of the cell. For a dog to be at risk for a mitochondrial disorder, it must inherit a certain ratio of mtDNA with the associated variant compared to normal mtDNA. mtDNA is inherited only from the mother.